



SPECIFICATIONS

L.O.A*:	12.62 m
Length of hull:	11.96 m
Width of hull:	3.99 m
Light displacement EC:	9 563 kg
Air draught:	4.80 m
Draft:	1.16 m
Fuel tank(s):	2 x 600 l
Water tank:	320 l
Maximum engine power:	2 x 370 HP
Max engine certification:	918 HP
EC certification:	B10 / 12

* (with aft swimming platform)

ARCHITECTS

BENETEAU POWER

DESIGNERS

SARRAZIN DESIGN

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition: Sandwich (Polyester resin - Glass fibre / Balsa core) - White gel-coat - Counter moulding of integral structure hull in monolithic laminate (Polyester resin - Glass fibre) - Profile: Semi-floating lower hull with bell V bow -

DECK

Composition: Sandwich (Polyester resin - Glass fibre / Balsa core) - Structural counter moulding in monolithic laminate - Composition: (Polyester resin - Glass fibre) - White gel-coat - Diamond tip type non-slip covering -

DECK EQUIPMENT

MOORING -ANCHORING

Stainless steel bow fitting - 6 Stainless steel mooring cleats (L 300mm) - Stainless steel gunwale guards - Vertical electric windlass 1000 W upward / Companionway - Self-bailer chain locker and fender storage locker covered by hatches -

PERSONNEL GUARDS

Stainless steel half open pulpit surrounding the cockpit up to the cockpit steps - Plain solid wood bulwark - 2 stainless steel handrails on deck house - 2 Stainless steel guard rails on the peak -

COCKPIT

Self-bailing cockpit - Plain solid wood bulwark - 3 Lockable gas piston assisted chests (1 Engine access locker - 2 Storage lockers) - 2 Stainless steel guard rails on access to catwalk steps - Stainless steel swimming ladder with plain solid wood steps fitted into aft swim deck - Access to life raft through trap door in transom - Access door to aft swim deck -

FLYBRIDGE

Accommodation designed for cruising comfort with large space for the saloon and sun deck - Access ladder with stainless steel uprights and solid wood steps plain - Grey tinted separating door in PMMA - Grey tinted windscreen in PMMA with stainless steel profiles - Fly bridge surrounded by stainless steel pulpit - Polyester hoop bar mounted with navigation lights and other navigation instruments - Pilot console to starboard - Control panel including: Electrical engine controls, Sports steering wheel - Hydraulic steering, Windlass control and horn - Height adjustable pilot seat(s) - fly bridge saloon to port consisting of a U-shaped bench seat and a table - Large sun deck extendable (2x2.14 M) by swinging over saloon bench backrest - Ice box position under the sun deck -

INTERIOR LAYOUT

Alpi woodworking in fruit tree colour
Polyester floors
Cushions "Paradise Sand"

SALOON

Height to deck beam: 1.96 m.
U-shaped bench seat with fitted storage lockers to starboard - Expandable and height adjustable saloon table - Cockpit table position - Extended dining table position - 2 seater bench to port - 2 leaved aft sliding window door with stainless steel frame - Side and aft curtains for window doors -

GALLEY

Kitchen fitted in port cabinet, Includes: Single bowl stainless steel sink - 2 ceramic glass 220 V plates - Microwave oven 20 l - Electric refrigerator 80 L - Cutlery drawer - Sliding rubbish bin -

STEERING STATION

Clear glass windscreen with stainless steel frames - Electric windscreen wipers - Windscreen washer - Demister - Grey-tinted PMMA sliding side windows with stainless steel frames - Ergonomic control panel with wide space for installation of navigation electronics - Engine dials: Revolution counter - Engine temperature gauge - Indicator for fuel gauge and tiller angle - Electric windlass control, bow thruster*, navigation lights, electric windscreen wipers and foghorn - Electric dual engine controls with EVC - Sports steering wheel - Steering compass - CD/MP3 player with 6 speakers - Glove box - Two seater pilot bench - Footrests -

* depending on options and engine version

WASHROOM OWNER'S (TO PORT)

Height to deck beam: 1.85 m.
Washroom completely counter moulded - Translucent skydome 2 opening portholes - Marine toilet - Glass bowl - Solid wood board plain - De luxe stainless steel taps - Pressured hot/cold water mixer tap - Storage - Mirror - Separate shower - Solid wood grating plain - Electric pump for shower draining - Rigid sewage tank (80 l) -

WASHROOM PASSENGER (TO STARBOARD)

Height to deck beam: 1.85 m.
Washroom completely counter moulded - 2 opening portholes - Marine toilet - Glass bowl - Solid wood board plain - De luxe stainless steel taps - Pressured hot/cold water mixer tap - Storage - Mirror - Shower - Electric pump for shower draining -

OWNER CABIN (FORWARD)

Height to deck beam: 1.90 m.
Double berth (2.00 m x 1.40 m) - Marine mattress - Hanging locker - Storage - Opening deck hatch with fitted mosquito net - 2 Opening hull portholes -

GUEST CABINS (TO PORT)

Height to deck beam: 1.90 m.
Double berth (1.90 m x 1.40 m) - Marine mattress - Hanging locker - Storage - 2 opening portholes (1x hull porthole - 1x deck house porthole) -

ENGINE

2 Engine options available:

Shaft line and dual engine **Volvo D4 300** hp or **Volvo D4 370** hp
- IPS and dual engine **IPS 500** - Fuel filter with decanter - Sea water filter - Air intakes on hull sides for engine compartment cooling - Hot air expulsion (electric fans) - Engine room sound-proofed with high density foam - Fire extinguishing system with activation from wheelhouse - Fuel tank deck filler - 2 Fuel tanks with 600 L capacity giving total capacity of 1200 L -

Steering system:

On shaft line version:

2 Bronze underhung rudders - Hydraulic steering - Bow thruster (Optional extra) - Electric Volvo flaps with controls in wheelhouse and on fly bridge.

In version IPS:

2 Reverse rotation and traction housings -Hydraulic steering - Electric Volvo flaps with controls in wheelhouse and on fly bridge.

ELECTRIC SYSTEMS

13-function electrical panel 12V/220V - 220V shore power - 1x 220V socket per area (2 cabins - Saloon - Galley) - TV socket in cabins - 2 Batteries 12V140 Ah for engine starting - 4 Service 12V 50 Ah batteries - Battery charger 40 Ah/h - Interior lighting (Reading and spotlights) - Outside lighting (Navigation lights) -

WATER SYSTEM

Manual bilge pump (Cockpit) - 2 Electric bilge pumps 1 of which automatic - Water pump for pressurising hot/cold water system - 25L Water heater with 220V exchanger - Hot/cold water cockpit shower hose - Water tank filler - Rigid 320 L water tank under passenger cabin berth -

SPECIAL SERIES ULTIMATE

	ULTIMATE L.A	ULTIMATE IPS
Bow thruster + 1 Battery 12 V 50 Ah	■	
IPS joystick	■	■
Loch speedo and sounder transducer	■	■
Multifunction screen RAYMARINE E80 on the flybridge	■	■
Multifunction RAYMARINE E120 screen in wheelhouse	■	■
Auto pilot RAYMARINE ST6002 + RV2	■	■
Refrigerated icebox on flybridge	■	■
Electric toilet Starboard forward washroom	■	■
Saloon convertible into double berth	■	■
Sun mattress forward Cushions "Columbia"	■	■
Cockpit bench seat	■	■
Aft swimming platform decked in plain solid wood	■	■
Cockpit decked in natural solid wood	■	■
"Tweed" pattern carpet in wheelhouse	■	■

Additional equipment available on special series Ultimate

OPTIONS

PACK ELECTRONIC

- Receiver AIS RAYMARINE
- Radar 2 Kw 24 MN (radome only)

OTHER AVAILABLE OPTIONS

- Aft cockpit closing "Cushions Dune"
- White console cover on the Flybridge
- Flybridge Bimini top upholstery "Dune"
- Outside wheelhouse curtains blanks
- Crockery kit marked 6 person
- Complete mooring kit
- White and steel blue hull
- Deck with natural solid wood decking
- Hydraulic bridge Stainless steel
- Grill + Ice maker / Cockpit 220 V
- Pump for deck washing (Sea water)
- Shore freshwater supply
- Generator 9,5 KVA
- Air conditioning 24000 BTU 220 V
- Heating
- Rigid reserve WC 80 l (Starboard washroom)
- Quiet Flush electric toilet
- Television LCD +DVD and MP3 player in master cabin
- Television LCD +DVD/MP3 player in the saloon